

VINYL BARRIER ANC-VB60

This high density thin, weighted barrier, constructed of non-reinforced high temperature fused vinyl with no lead filters. Weighs one pound per square foot and is 1/8" thick. Apply to block transmission of sound through walls, floors, and ceilings. Also effective as a pipe and duct wrap to damper vibrations and reduce noise. Also available in a reinforced version designed to sustain its own vertical weight for suspension.

Ceiling Barrier Tiles with Vinyl Sound Barrier: We carry a ceiling tile barrier tile with 1" fiberglass & 1 pound scrim faced Vinyl Sound Barrier material.

Acoustical Vinyl Noise Barrier NRC Ratings

Package/Roll:	54"x 30' AND 54" x 60' rolls (please specify when quoting)
Weight/Sq.Ft.	1 lb
Tensile (Psi)	762
Gauge (inches)	108"
Elongation (%)	200%
Die "C" Tear (#/In.)	114
200 Deg. F/7 Days	No deformation: <1% Shrink
Elongation (%)	200%
Mil Std. 6411 Burn Test	9 (Pass)
MVS 302 Burn Test	Pass: Self Extinguished
STC	27 (1lb) & 32 (2lb)

Barricade Noise Barrier Availability

Barricade Noise Barrier - Vinyl Sound Barrier products are available in 54" x 60' long, 270 sq ft. per roll, with custom lengths available. Call us today to discuss at 1-561-964-9360.

ITEM#	THICKNESS	SIZE	DENSITY	FREQUENCY (Hz)	125	250	500	1K	2K	4K	STC
VB-60	1/8"	54" x 30'	1.0 lb/sf (9.76 kg/m ²)		14	19	27	34	34	40	27

FIRE RATINGS

Flammability: UL 94 HF1 Meets 1MVSS 302

(Other sizes available on VB-60 and VB-62. Please call 561-964-9360 for options.)

Vinyl Sound - Barricade Noise Barrier Installation Instructions

First ask us about using a staggered stud or floating wall approach to your construction if possible. The apply the Vinyl Sound Barrier between the studs and sheet rock. Do not glue this directly to a wall for free standing. Its weight will require the reinforcement of another layer of wall surface to be screwed or nailed over it. Us staples of screws to temporarily hold it up until you get your next wall surface applied. Also a good product for laying on top of your ceiling tiles to "cap" the room with a sound barrier material.

Vinyl Sound Barrier Cross Section:

noise control all
the soundproofing specialists

installation diagram

Vinyl Mass Loaded Sound Barrier - Pre-Construction / Studded Wall

Insulation

Single Stud Wall

All Noise Control
Vinyl Mass Loaded Barrier

Sheetrock / Drywall

Call Us At 561-585-4703

STC 52

Speak to an acoustic noise control specialist today.
For Solutions & Best Pricing
Call Us At 561-964-9360

noise control all
the soundproofing specialists

installation diagram

Vinyl Mass Loaded Sound Barrier - Carpet Underlayment

Carpeting

Subflooring

All Noise Control
Vinyl Mass Loaded Barrier


Padding

Base/Concrete/Ceiling

Call Us At 561-585-4703


STC 52

Speak to an acoustic noise control specialist today.
For Solutions & Best Pricing
Call Us At 561-964-9360



Speak to an acoustic noise control specialist today.

For Solutions & Best Pricing
Call Us At 561-964-9360



Speak to an acoustic noise control specialist today.

For Solutions & Best Pricing
Call Us At 561-964-9360