



# RIGID ACOUSTICAL BAFFLES

SPEC DATA SHEET SQ-108



- High-quality fabric finished baffle
- Excellent acoustical performance
- Standard, designer or C.O.M. fabrics
- Custom sizes and shapes
- Easy to install

All Noise Control, LLC  
2731 Vista Parkway Suite # D-8  
WPB, Florida 33411

561-964-9360 (tel)  
561-964-9359 (fax)  
info@allnoisecontrol.com  
www.allnoisecontrol.com

## RIGID ACOUSTICAL BAFFLES

Sound Quality<sup>®</sup> R-100 Baffles are ideal for applications that require hanging baffles with “crisp” corners, a fabric finish and high acoustical ratings.

### FINISHES

Guilford of Maine FR701 Style 2100 is the industry standard. Hundreds of approved decorative fabrics are also available from numerous manufacturers including, but not limited to: Guilford of Maine, Maharam, Design Tex and Knoll. Customers may also specify their own fabric, provided the material meets manufacturing requirements.

### ACOUSTICAL NRC

Rating

1" Thick	2"	_____	.80 - .90
Thick	_____	_____	1.05 - 1.15

### SIZING

Baffles are available in a 1" or 2" thickness. Standard sizes are 2'x4' and 4'x8', with custom sizes up to a maximum of 4'x10'.

### SUBSTRATE

6-7# PCF rigid fiberglass core with optional chemically hardened edges

### FIRE RATING

All components shall have a Class A fire rating per ASTM E-84

### MOUNTING OPTIONS

The baffles include Brackets or tabs that extend upwards from the top of the baffle so the baffle can be installed or hung down vertically from the ceiling.

### SPECIFICATIONS

Specifications can be downloaded from our website [www.allnoisecontrol.com](http://www.allnoisecontrol.com) or call us at 561-964-9360

