

Acoustic Room Kit

BY ALL NOISE CONTROL

Noise Control Acoustic Panel Kit to create room kits for a small (10" x 10"), medium (10" x 15") or large (20" x 20") rooms.

As a DIY (do it yourself) solution, the square footage of sound absorbing material in each kit is calculated to meet the needs of the room size specified to help lower sound intensity and improve speech intelligibility.

Each panel is wrapped with industry standard Guilford of Maine FR701 Style 2100 acoustically transparent fabric and ships complete with the basic mounting hardware to install direct to the wall.

Noise Control Acoustic Room Kit is a quick and easy solution for a variety of applications including offices, conference rooms, home entertainment, teleconferencing, videoconferencing, broadcast and recording studios, restaurants or anywhere that needs a quick and effortless acoustical solution.

Features:


- Three Kits and 84 color choices
- Kits ship in 3-4 weeks
- Quick and easy Installation
- Reduces reverberation and echo
- Improves speech intelligibility

Configurations:

- Small Room Kit: Contains (6) 1" x 4" x 1", (4) 2" x 2" x 1" panels for a footprint of approximately 100 square feet (10" x 10")
- Medium Room Kit: Contains (8) 2" x 4" x 1" panels for a footprint of approximately 150 square feet (10" x 15")
- Large Room Kit: Contains (8) 2" x 4" x 1", (8) 2" x 2" x 1" panels for a footprint of approximately 400 square feet (20" x 20")

Technical Information:

• Panel Sizes (nominal): 1" x 4", 2" x 4", 2" x 2"



Actual Panel Sizes:

1' x 4": 12 x 47-1/2"

2" x 2": 23-3/4" x 23-3/4"

2" x 4": 23-3/4" x 47-1/2"

• Thickness: 1"

• Core: 6-7 pound per square foot density acoustical substrate

• Fabric Finish: Guilford of Maine FR701 Style 2100 (10 Colors)

• Natural Square Edge

• Mounting options:

Angled Impaling clips, drywall anchors and screws (Included)

• Mounting with adhesive is optional (Not included)


Class A Fire Rated

included

No trips to the hardware store

• NRC: 0.85

Sound Absorption (Hz)											
Thickness	125	250	500	1000	2000	4000	NRC				
1"	0.14	0.27	0.80	1.11	1.14	1.14	0.85				



NOISE CONTROL OTHER COMPETITORS **Guilford FR701 Fabric Finish** Basic fabric or no fabric finish **Excellent for Acoustics** Unknown acoustic value Fire Rated May not be Fire Rated Non-recycled content 100% recycled content **USA Made** Often sourced from other countries Bonded to acoustic core for durability and Often stapled, causing fabric to pucker, sag or longevity unravel **Acoustical Core** High Density (6-7 PCF) Fiberglass Unknown or various acoustical cores **Fire Rated** May not be Fire Rated **Superior Sound Absorption** Unknown acoustical value Scrim faced acoustic board increases fabric Loose filled cores, like mineral wool or recycled adhesion and prevents color bleed cotton, may compress vertically over time Holds shape and appearance, no frame required Installation Necessary hardware and drywall screws are May require purchase of adhesive or other hardware to install

Technical Data Sheet

Noise Control Acoustic Room Kit

DESCRIPTION

Noise Control Acoustic Room Kit uses the building blocks of the Acoustic Panel Kit to create room kits for a small (10'x10'), medium (10'x15') or large room (20'x20'). The square footage of sound absorbing material in each kit is calculated to meet the needs of the room size specified and helps lower sound intensity and improve speech intelligibility.

Each panel is wrapped with industry standard Guilford of Maine FR701 Style 2100 acoustically transparent fabric and ships complete with the basic mounting hardware to install direct to the wall.

These acoustical panel kits are a quick and easy solution for a variety of applications including Offices, Conference Rooms, Home Entertainment, Teleconferencing, Videoconferencing, Broadcast and Recording Studios, or anywhere that needs a quick and effortless acoustical solution.

TECHNICAL INFORMATION

Small 10'x10' Room Kit: approx. 100 sq. ft. footprint (6) 12" x 47-1/2" x 1", (4) 23-3/4" x 23-3/4" x 1" panels

Medium 10'x15' Room Kit: approx. 150 sq. ft. footprint (8) 23-3/4" x 47-1/2" x 1" panels

Large 20'x20' Room Kit: approx. 200 sq. ft. footprint (8) 23-3/4" x 47-1/2" x 1", (8) 23-3/4" x 23-3/4" x 1" panels

THICKNESS: 1"

MATERIALS: 6-7 pound per square foot density acoustical substrate

FINISH: Guilford of Maine FR701 Style 2100

COLORS: 10 color choices

EDGE DESIGN: Natural Square Edge

MOUNTING: Angled Impaling Clips

FIRE RESISTANCE: Class A


NRC: 0.85




*<u>A</u> *<u>A</u> *

1'x4' Panel

<u>#</u><u>#</u>*









SOUND ABSORPTION										
125 Hz	250 Hz	250 Hz 500 Hz		2000 Hz	4000 Hz	NRC				
0.14	0.27	0.80	1.11	1.14	1.14	0.85				

Address: 2731 Vista Parkway # D-6 WPB, Florida 33411

Phone: 561-964-9360

Email: info@allnoisecontrol.com

